# **SAFETY DATA SHEET**

REV 04/20

### Section 1. Identification

Trade Name	: DSB 1520 Lubricant Adhesive
Relevant Identified Uses of the Substance or Mixture	: Adhesive
Supplier/Manufacturer	: The D.S. Brown Company 300 East Cherry Street North Baltimore, Ohio 45872 419-257-3561
In Case of Emergency	: Chemtrec 1-800-262-8200 International 01-703-741-5500
Information Department	: Environmental, Health and Safety Department

## **Section 2. Hazards Identification**

#### **CLASSIFICATION OF THE SUBSTANCE OR MIXTURE**



GHS08 Health hazard

Resp. Sens. 1	: H334 May Cause allergy or asthma symptoms or breathing difficulties if inhaled
Muta. 1B	: H340 May cause genetic defects
STOT RE 2	: H373 May cause damage to organs through prolonged or repeated exposure
Asp. Tox. 1	: H304 May be fatal if swallowed and enters airways
GHS07	
Skin Irrit. 2	: H315 Causes skin irritation
Eye Irrit. 2A	: H319 Causes serious eye irritation
Skin Sens. 1	: H317 May cause an allergic skin reaction

STOT SE 3 : H335 May cause respiratory irritation

#### LABEL ELEMENTS

GHS Label Elements	: The product is classified and labeled according to the Globally Harmonized System (GHS)
Hazard Pictograms	

GHS07 GHS08

Signal Word

: Danger



REV 04/20

### Section 2. Hazards Identification cont'd.

Hazard Statements	:	Causes skin irritation. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. May cause genetic defects. May cause respiratory irritation. May cause damage to organs through prolonged or repeated exposure. May be fatal if swallowed and enters airways.
Precautionary Statements If Swallowed	:	Do not breathe dust/fume/gas/mist/vapors/spray. (In case of inadequate ventilation) wear respiratory protection. Wear protective gloves. Wear eye protection/face protection. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Immediately call a POISON CENTER/ doctor.
If In Eyes	:	Rinse cautiously with water for several minutes. Remove contact lenses,
If Experiencing Respiratory		if present and easy to do. Continue rinsing. Specific treatment (see on this label).
Symptoms		Call a POISON CENTER/doctor.
lf Inhaled	:	Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. Wash contaminated clothing before reuse.
If Exposed or Concerned	:	Get medical advice/attention.
If Skin Irritation or Rash Occurs	:	Get medical advice/attention.
If Eye Irritation Persists	:	Get medical advice/attention. Get medical advice/attention if you feel unwell. Do NOT induce vomiting.
lf On Skin	:	Wash with plenty of water. Take off contaminated clothing and wash it before reuse. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Dispose of contents/container in accordance with local/regional/national/ international regulations.
Classification System	:	NFPA ratings (Scale 0-4) Health = 1 Fire = 0 Reactivity = 0 HMIS-ratings (Scale 0-4) Health = 1 Fire = 0 Physical Hazard = 0



#### SAFETY DATA SHEET

#### **DSB 1520 Lubricant Adhesive**

3 of 11

### Section 2. Hazards Identification cont'd.

```
Other Hazards
```

: Results of PBT and vPvB assessment PBT Not applicable. vPvB Not applicable.

### **Section 3. Composition/Information on Ingredients**

Chemical Characterization	: Mix	tures		
Description	: Mix	ture		
Hazardous Components	: C	AS No.	Name	%
	6	4742-48-9	Naphtha (petroleum), hydrotreated heavy	5-20%
	1	08-65-6	2-methoxy-1-methylethyl acetate	5-20%
	1	01-68-8	4,4'-methylenediphenyl diisocyanate	2.5-10%
	2	6447-40-5	methylenediphenyl diisocyanate	2.5-10%
	9	016-87-9	diphenylmethanediisocyanate,isomeres and homologues	<u>≤</u> 2.5%
	4	083-64-1	4-isocyanatosulphonyltoluene	<u>≤</u> 2.5%
	5	7-11-4	stearic acid, pure	<u>&lt;</u> 2.5%
			polyester polyol	<u>≤</u> 2.5%

#### **Section 4. First Aid Measures**

#### **DESCRIPTION OF FIRST AID MEASURES** After Inhalation : Supply fresh air and to be sure call for a doctor. In case of unconsciousness place patient stably in side position for transportation. After Skin Contact : Immediately wash with water and soap and rinse thoroughly. If skin becomes irritated seek medical attention. : Rinse opened eye for 20 minutes under running water. If eye becomes irritated, After Eye Contact obtain medical treatment. After Swallowing : Seek medical treatment. **INFORMATION FOR DOCTOR** Most Important Symptoms : No further relevant information available. and Effects, Both Acute and Delayed : No further relevant information available. Indication of Any Immediate



**Medical Attention and Special** 

**Treatment Needed** 

### **Section 5. Fire-Fighting Measures**

#### **EXTINGUISHING MEDIA**

Suitable Extinguishing Agents : CO2, extinguishing powder or water spray. Fight larger fires with water spray. Use fire fighting measures that suit the environment.

**Special Hazards Arising From** : No further relevant information available.

the Substance or Mixture

#### **ADVICE FOR FIREFIGHTERS**

Firefighters use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

**Protective Equipment** : Protective clothing and respiratory protective device.

#### Section 6. Accidental Release Measures

#### PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

For Safety Reasons	:	Wear protective equipment.
		Keep unprotected persons away.
		Ensure adequate ventilation.

#### **ENVIRONMENTAL PRECAUTIONS**

For Safety Reasons	:	Do not allow to enter sewers/ surface or ground water.
Methods and Material for Containment and Cleaning Up		Cover spilled material with neutralization solution (see below) and mix Wait 15 minutes. Collect material in openhead metal containers. Repeat neutralization and cleaning process until surface is decontaminated. Apply drum lid but DO NOT secure. Allow containers to vent for 72 hours to let carbon dioxide escape. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste in accordance with federal state and local regulations. Ensure adequate ventilation.
Reference to Other Sections	:	See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

#### Section 7. Handling and Storage

Precautions for Safe Handling	<ul> <li>Avoid prolonged or repeated contact with skin.</li> <li>Avoid contact with eyes.</li> <li>Wash thoroughly after handling.</li> <li>Ensure good ventilation/exhaustion at the workplace.</li> <li>Prevent formation of aerosols.</li> <li>Open containers in a well ventilated area and avoid breathing headspace vapors.</li> </ul>
Information About Protection	Keep container closed when not in use.



REV 04/20

### Section 7. Handling and Storage cont'd.

#### CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITES

Requirements To Be Met By Storerooms and Receptacles	:	Store in a cool location away from direct heat.
Information About Storage In One Common Storage Facility		Store away from oxidizing agents.
Further Information About Storage Conditions		Store in cool, dry conditions in well sealed receptacles. Protect from contamination.
Specific End User(s)	:	No further relevant information available.

### **Section 8. Exposure Controls/Personal Protection**

Additional Information About	: No further data; see item 7
Design of Technical Systems	

#### **CONTROL PARAMETERS**


Components With Limited	: The following constituents are the only constituents of the product which have a PEL,
Values That Require	TLV or other recommended exposure limit.
Monitoring at the Workplace	At this time, the other constituents have no known exposure limits.

	108-65-6 2-m	108-65-6 2-methoxy-1-methylethyl acetate					
	WEEL	Long-term value	50 ppm				
	101-68-8 4,4'-methylenediphenyl diisocyanate						
	PEL	Ceiling limit value	0.2 mg/m³, 0.02 ppm				
	REL	Long-term value Ceiling limit value	0.05 mg/m³, 0.005 ppm 0.2* mg/m³, 0.02* ppm *10-min				
	TLV	Long-term valu	0.051 mg/m³, 0.005 ppm				
Additional Information Exposure Controls	: The lists that	The lists that were valid during the creation were used as basis.					
Personal Protective Equipment	: See listings the	See listings that follow.					
General Protective and Hygienic Measures	Immediately r Wash hands	<ul> <li>Keep away from foodstuffs, beverages and feed.</li> <li>Immediately remove all soiled and contaminated clothing.</li> <li>Wash hands before breaks and at the end of work.</li> <li>Avoid contact with the eyes and skin.</li> </ul>					

**Breathing Equipment** : Use approved respiratory protection equipment when airborne exposure is excessive. Consult the respirator manufacturer to determine the appropriate type of equipment for a given application. Observe respirator use limitations specified by the manufacturer.



# Section 8. Exposure Controls/Personal Protection cont'd.



A GIBRAITAR INDUSTRIES COMPANY 🔊

Protective gloves.

	The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Material of Gloves	: Nitrile rubber, NBR The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
Penetration Time of Glove Material	: The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
Eye Protection	: Safety glasses with side shields.
	Tightly sealed goggles. Use full face shield over protective eye wear when there is a risk of a splash.
Body Protection	: Protective work clothing.

# **Section 9. Physical and Chemical Properties**

D.S.BROWN	Bridge the World with Leading Infrastructure Solutions
Flammable Limits Lower Upper	: 0.6 Vol % : 10.8 Vol %
Danger of Explosion	: Product is not explosive. However, formation of explosive air / vapor mixtures are possible.
Auto Igniting	: Product is not self-igniting.
Decomposition Temperature	: Not determined.
Ignition Temperature	: 240 °C (464 °F)
Flammability (solid, gaseous)	: Not applicable.
Flash Point	: Not applicable.
Change in Condition Melting Point Boiling Point	: Undetermined : 124 °C (255 °F)
pH-value	: Not determined.
Odor Threshold	: Not determined.
Odor	: Characteristic
Appearance Form Color	: Liquid : Not determined.



REV 04/20

### Section 9. Physical and Chemical Properties cont'd.

Vapor Pressure at 20°C (68°F) : 3.4 hPa (3 mm Hg)

Specific Gravity Relative Density Vapor Density Evaporation Rate	<ul><li>Not determined.</li><li>Not determined.</li><li>Not determined.</li></ul>
Solubility In / Miscibility with Water	: Not miscible or difficult to mix.
<b>Partition Coefficient</b> (n-octanol / water)	: Not determined.
Viscosity Dynamic Kinematic	: Not determined. : Not determined.
Solvent Content Solids Content Other Information	: Not available. : No further relevant information available.

### Section 10. Stability and Reactivity

Reactivity	: No further relevant information available.
Chemical Stability	
Thermal Decoposition / Conditions to Avoid	: No decomposition if used according to specifications.
Possibility of Hazardous Reactions	: Contact with moisture, other materials that react with isocyanates, or temperatures above 350 °F, may cause polymerization.
Conditions to Avoid	: Exposure to high temperatures
Incompatible Materials	: Reacts with alkalis (bases) copper and copper alloys, amines, alcohols Reacts with water.
Hazardous Decomposition Products	: Carbon monoxide and carbon dioxide Nitrogen oxides Isocyanate Isocyanic acid



REV 04/20

# Section 11. Toxicological Information

Acute Toxicity	LD/LC50 values that are relevant for classification:	
	64742-48-9 Naphtha (petroleum), hydrotreated heavyOralLD50>5000 mg/kg (rat)DermalLD50>3000 mg/kg (rabbit)	
	101-68-8 4,4'-methylenediphenyl diisocyanateOralLD502200 mg/kg (mouse)	
Primary Irritant Effect On the Skin On the Eye	Irritant to skin and mucous membranes. Causes serious eye irritation.	
Sensitization	Inhalation - Sensitization possible through inhalation. Skin Contact - Sensitization possible through skin contact.	
Additional Toxicological Information	The product shows the following dangers according to internally approved calculation methods for preparations: Harmful Irritant The product can cause inheritable damage.	
Carcinogenic Categories		
IARC (International Agency for Research on Cancer)	101-68-84,4'-methylenediphenyl diisocyanate39016-87-9diphenylmethanediisocyanate,isomeres and homologues3	3 3
NTP (National Toxicology Program)	None of the ingredients is listed.	
OSHA-Ca (Occupational Safety & Health Administration)	None of the ingredients is listed.	

# Section 12. Ecological Information

Toxicity Aquatic Toxicity	: No further relevant information available.
Persistence and Degradability	: No further relevant information available.
Behavior in Environment Syst	ems
<b>Bioaccumulative Potential</b>	: No further relevant information available.
Mobility in Soil	: No further relevant information available.
Additional Ecological Information	<ul> <li>General Notes: Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system.</li> <li>Danger to drinking water if even small quantities leak into the ground.</li> </ul>
Results of PBT and vPVB Assessment	: PBT: Not applicable. vPvB: Not applicable.
Other Adverse Effects	: No further relevant information available.



#### SAFETY DATA SHEET

#### **DSB 1520 Lubricant Adhesive**

9 of 11

REV 04/20

### **Section 13. Disposal Considerations**

Waste Treatment Methods: Recommendation: Must be specially treated adhering to official regulations.Uncleaned Packagings: Recommendation: Disposal must be made according to official regulations.

### **Section 14. Transport Information**

UN-Number DOT, ADR, ADN, IMDG : IATA	Not regulated.
UN Proper Shipping Name DOT, ADR, ADN, IMDG : IATA	Not regulated.
Transport Hazard Class(es) DOT, ADR, ADN, IMDG : IATA Class	Not regulated.
Packaging Group : DOT, ADR, IMDG, IATA	Not regulated.
Environment Hazards	Not applicable.
Special Precautions For Users :	Not applicable.
Transport in Bulk According to: Annex II of MARPOL73/78 and the IBC Code	Not applicable.
UN "Model Regulation"	Not regulated.

### Section 15. Regulatory Information

#### SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR SUBSTANCE/MIXTURE

SARA Section 355 (Extremely Hazardous Substances)	: None of the ingredients is listed.
Section 313 (Specific Toxic Chemical Listings)	: 101-68-8 4,4'-methylenediphenyl diisocyanate 9016-87-9 diphenylmethanediisocyanate,isomeres and homologues
TSCA (Toxic Substances Control Act)	: All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.
Proposition 65 Chemicals Known to Cause Cancer	: None of the ingredients is listed.
Chemicals Known to Cause Reproductive Toxicity.	: None of the ingredients is listed.



## Section 15. Regulatory Information cont'd.

Chemicals Known to Cause Developmental Toxicity.	:	None of the ingredients is listed.
(DSL) Canada Domestic Substance List	:	All components of this product are on the DSL or are exempt from DSL requirements.
New Jersy Right-to-Know List	: :	None of the ingredients is listed.
New Jersy Special Hazardous Substance List	:	None of the ingredients is listed.
Pennsylvania Right-to-Know List	:	None of the ingredients is listed.
Pennsylvania Special Hazardous Substance List	:	None of the ingredients is listed.

#### **CANCEROGENITY CATEGORIES**

EPA (Environmental	: 101-68-8	4,4'-methylenediphenyl diisocyanate diphenylmethanediisocyanate,isomeres and homologues	D, CBD
Protection Agency)	9016-87-9		CBD
TLV (Threshold Limit Value Established by ACGIH)	: None of the	e ingredients listed.	
MAK (German Maximum	: 101-68-8	4,4'-methylenediphenyl diisocyanate diphenylmethanediisocyanate,isomeres and homologues	4
Workplace Concentration)	9016-87-9		4
NIOSH-Ca (National Institute for Occupational Safety and Health)	: None of the	e ingredients is listed.	

#### NATIONAL REGULATIONS

Information About Limited Use	:	Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.
Water Hazard Class	:	Water Hazard Class 2 (Self-assessment): Hazardous for water.
Chemical Safety Assessment	:	A Chemical Safety Assessment has not been carried out.



REV 04/20

### **Section 16. Other Information**

Although the information and recommendations set forth in this SDS are presented in good faith and are believed to be correct as of the date of this SDS, Royal Adhesives & Sealants makes no representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will The D. S. Brown Company or any affiliate thereof be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the SDS.

Creation Date	: 04/01/2020
Date of Preparation/Last Revision	: 04/01/2020
Abbreviations and Acronyms	: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
	IMDG: International Maritime Code for Dangerous Goods
	DOT: US Department of Transportation
	IATA: International Air Transport Association
	ACGIH: American Conference of Governmental Industrial Hygienists
	EINECS: European Inventory of Existing Commercial Chemical Substances
	ELINCS: European List of Notified Chemical Substances
	CAS: Chemical Abstracts Service (division of the American Chemical Society)
	NFPA: National Fire Protection Association (USA)
	HMIS: Hazardous Materials Identification System (USA)
	LC50: Lethal concentration, 50 percent
	LD50: Lethal dose, 50 percent
	PBT: Persistent, Bioaccumulative and Toxic
	vPvB: very Persistent and very Bioaccumulative
	NIOSH: National Institute for Occupational Safety
	OSHA: Occupational Safety & Health
	TLV: Threshold Limit Value
	PEL: Permissible Exposure Limit
	REL: Recommended Exposure Limit
	BEI: Biological Exposure Limit
	Skin Irrit. 2: Skin corrosion/irritation – Category 2
	Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
	Resp. Sens. 1: Respiratory sensitisation – Category 1
	Skin Sens. 1: Skin sensitisation – Category 1
	Muta. 1B: Germ cell mutagenicity – Category 1B
	STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
	STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
	Asp. Tox. 1: Aspiration hazard – Category 1



Bridge the World with Leading Infrastructure Solutions

11 of 11